



Date:
No:
Attachment:

Apafeed petrochemical trading LLC

Gasoline A-85

Properties	Unit	Specification	Test Method
Density @20 °C	g/cm ³	0.725 Max	ASTM D 1298
Color	Saybolt	Light/ Red, Yellow	–
Total Sulfur	ppm	500 Max	ASTM D 4294
Lead Content	ppb	10 Max	A.A
IBP	°C	35 Min	ASTM D 86
FBP	°C	210 Max	ASTM D 86
Paraffin Naphthenes	%Wt	40 Min	G.C
Aromatics	%Wt	25 Max	G.C
Others	%Wt	15 Max	G.C
RON		85 Min	Infrared