



Date: .....

No: .....

Attachment: .....

## Apafeed petrochemical trading LLC

<b>Properties</b>	<b>Unit</b>	<b>Specification</b>	<b>Test Method</b>
Purity	%Wt	99.90 min	ASTM D 2360-82
Non aromatics	%Wt	0.10 max	ASTM D 2360-82
Benzene	%Wt	0.1 max	ASTM D 2360-82
Distillation range @760 mm Hg	°C	1.0 max including 110.6	ASTM D 850-79
Appearance		Clear liquid free of sedimentation or haze at 18.3 to 25.6 °C	VISUAL
Total Sulfur	ppm (wt)	1.0 max	ASTM D 4045-87
Copper corrosion		Pass (1a to 1b)	ASTM D 849-88
Color	Pt-Co	20 max	ASTM D 1209-84
Acid wash color		2 max	ASTM D 848-81
Acidity		None detected	ASTM D 847-87
Specific Gravity at 15.56/15.56 °C		0.869 – 0.873	ASTM D 4052-86
SO <sub>2</sub> / H <sub>2</sub> S		None detected	ASTM D 853-82
Vapor Pressure	psi	1.1	ASTM D 323-99A

